

SDS Revision Date: 03/1/2021

1. Identification

1.1. Product identifier

Product Identity Restorative

Alternate Names Co-Injection Chemical Mixture (Restorative)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name The Dodge Company, Inc

9 Progress Road

Billerica, MA 01821

Emergency

CHEMTREC (USA) (800) 424-9300

Customer Service: The Dodge Company, Inc (800) 443-6343, (978) 600-2099

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Irrit. 3;H316 Causes mild skin irritation. (Note: this GHS classification was not adopted by US

OSHA).

2.2. Label elements

Warning

H316 Causes mild skin irritation.

[Prevention]:

No GHS prevention statements

[Response]:

P332+313 IF SKIN IRRITATION OCCURS: Get medical advice or attention.

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements



SDS Revision Date: 03/1/2021

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
1,2-Propylene glycol CAS Number: 0000057-55-6	5 - 10	Not Classified	[1]
2-methylpentane-2,4-diol CAS Number: 0000107-41-5	1 - 5	Eye Irrit. 2;H319 Skin Irrit. 2;H315	[1][2]
Polyethylene glycol CAS Number: 0025322-68-3	1 - 5	Not Classified	[1]
Isopropyl Alcohol CAS Number: 0000067-63-0	1 - 5	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336	[1][2]
Lanolin, ethoxylated CAS Number: 0061790-81-6	1 - 5	Not Classified	[1]
Trisodium EDTA CAS Number: 0000150-38-9	1 - 5	Acute Tox. 4;H302 Eye Irrit. 2;H319	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview Treat symptomatically. Exposure to solvent vapor concentrations from the component

solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of

consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents

^[1] Substance with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.

^{*}The full texts of the phrases are shown in Section 16.



SDS Revision Date: 03/1/2021

may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. Check section 2.2 (GHS Label Elements) for further details.

Skin

Causes mild skin irritation. (Note: this GHS classification was not adopted by US OSHA).

Section 5. Fire-fighting measures

5.1. Extinguishing media

Small Fire use ABC Dry Chemical extinguisher. Large Fire use water spray, fog or foam. Do not use straight stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of Carbon

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus to protect from decomposition products.

ERG Guide No. ----

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep container closed when not in use. Avoid contact with eyes, skin, or clothing.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Spread an inert absorbent on the spill and place in a suitable, properly labeled container for recovery or disposal.

Flush area with large quantities of water.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Oxidizers or Reducing Agents

Check section 2.2 (GHS Label Elements) for further details. - [Storage]:

7.3. Specific end use(s)

No data available.



SDS Revision Date: 03/1/2021

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000057-55-6 1,2-Propylene glycol		OSHA	No Established Limit
		ACGIH	TWA(Aerosol): 10 mg/m3
		NIOSH	No Established Limit
0000067-63-0	Isopropyl Alcohol	OSHA	TWA 400 ppm (980 mg/m3) STEL 500 ppm
		ACGIH	TWA: 200 ppm STEL: 400 ppm
		NIOSH	TWA 400 ppm (980 mg/m3) ST 500 ppm (1225 mg/m3)
0000107-41-5	2-methylpentane-2,4-diol	OSHA	No Established Limit
		ACGIH	25 ppm TWA (vapor fraction)
		NIOSH	C 25 ppm (125 mg/m3)
0000150-38-9	150-38-9 Trisodium EDTA		No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0025322-68-3	025322-68-3 Polyethylene glycol		No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0061790-81-6	0061790-81-6 Lanolin, ethoxylated		No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

8.2. Exposure controls

Respiratory Not necessary where area is properly ventilated.

Eyes Wear safety eyewear, e.g. safety spectacles, goggles or visors to protect against the

splash of liquids.

Skin Overalls which cover the body, arms and legs should be worn. Skin should not be exposed.

All parts of the body should be washed after contact. Wear PVC or rubber gloves.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details.



SDS Revision Date: 03/1/2021

Section 9. Physical and chemical properties

Appearance Lotion-like pink emulsion Liquid

Odor Perfumed

Odor threshold Not determined

pH N.A Melting point / freezing point N.A

Initial boiling point and boiling range 91-93C 196-200F

Flash Point 93C 200F

Evaporation rate (Ether = 1) < 1 (n-Butyl acetate = 1)

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: 3%

Vapor pressure (Pa)

Upper Explosive Limit: 13%
Not Measured

Vapor DensityGreater than 1Relative Density1.000-1.010Solubility in WaterNot MeasuredPartition coefficient n-octanol/water (Log Kow)Not MeasuredAuto-ignition temperatureNot Measured

Decomposition temperature Not Measured

Viscosity (cSt) Not Measured

VOC Content 99%

9.2. Other information

No other relevant information.

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Keep out of heat > 140F and cold < 30F.

10.5. Incompatible materials

Oxidizers or Reducing Agents

10.6. Hazardous decomposition products

Oxides of Carbon



SDS Revision Date: 03/1/2021

Section 11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
1,2-Propylene glycol - (57-55-6)	22,000.00, Rat - Category: NA	> 2,000.00, Rabbit - Category: NA	No data available	No data available	No data available
2-methylpentane-2,4-diol - (107-41-5)	No data available	No data available	No data available	No data available	No data available
Polyethylene glycol - (25322-68-3)	> 2,000.00, Rat - Category: NA	> 2,000.00, Rat - Category: NA	No data available	No data available	No data available
Isopropyl Alcohol - (67-63-0)	5,840.00, Rat - Category: NA	12,800.00, Rabbit - Category: NA	72.60, Rat - Category: NA	No data available	No data available
Lanolin, ethoxylated - (61790-81-6)	No data available	No data available	No data available	No data available	No data available
Trisodium EDTA - (150-38-9)	No data available	No data available	No data available	No data available	No data available

Carcinogen Data

CAS No.	Ingredient	Source	Value				
0000057-55-6 1,2-Propylene glycol		OSHA	Regulated Carcinogen: No				
			Known: No; Suspected: No				
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
		ACGIH	No Established Limit				
0000067-63-0	Isopropyl Alcohol	OSHA	Regulated Carcinogen: No				
		NTP	Known: No; Suspected: No				
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;				
		ACGIH	A4				
0000107-41-5	2-methylpentane-2,4-diol	OSHA	Regulated Carcinogen: No				
	NTP Known: N		Known: No; Suspected: No				
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
		ACGIH	No Established Limit				
0000150-38-9	Trisodium EDTA	OSHA	Regulated Carcinogen: No				



SDS Revision Date: 03/1/2021

		NTP	Known: No;	Suspected: No			
		IARC	Group 1: No	; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
		ACGIH	No Established Limit				
0025322-68-3	Polyethylene glycol	OSHA	Regulated Carcinogen: No				
		NTP	Known: No; Suspected: No				
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
		ACGIH	No Establish	ned Limit			
0061790-81-6	Lanolin, ethoxylated	OSHA	Regulated C	arcinogen: No			
		NTP	Known: No; Suspected: No				
		IARC		; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
		ACGIH	No Establish	ned Limit			
Classification		Ca	tegory	Hazard Description			
Acute toxicity (oral)				Not Applicable			
Acute toxicity (dermal)				Not Applicable			
Acute toxicity (inhalation)				Not Applicable			
Skin corrosio	Skin corrosion/irritation 3		3	Causes mild skin irritation. (Note: this GHS classification was not adopted by US OSHA).			
Serious eye	damage/irritation			Not Applicable			
Respiratory	sensitization			Not Applicable			
Skin sensitiz	ation			Not Applicable			
Germ cell mu	utagenicity			Not Applicable			
Carcinogenio	city			Not Applicable			
Reproductive toxicity				Not Applicable			
STOT-single exposure				Not Applicable			
STOT-repeated exposure			Not Applicable				
Aspiration hazard				Not Applicable			

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
1,2-Propylene glycol - (57-55-6)	40,613.00, Salmo gairdneri	Not Available	24,200.00 (72 hr), Raphidocelis subcapitata
2-methylpentane-2,4-diol - (107-41-5)	9,910.00, Gambusia affinia	5,410.00, Daphnia magna	430.00 (72 hr), Pseudokirchneriella subcapitata
Polyethylene glycol - (25322-68-3)	> 100.00, Poecilla reticulata	> 100.00, Daphnia magna	> 100.00 (96 hr), Scenedesmus subspicatus
Isopropyl Alcohol - (67-63-0)	10,000.00, Pimephales promelas	Not Available	Not Available



SDS Revision Date: 03/1/2021

Not Regulated

Air Class: Not Applicable

Lanolin, ethoxylated - (61790-81-6)	Not Available	Not Available	Not Available
Trisodium EDTA - (150-38-9)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA **Transportation**) **Transportation**)

Not Regulated

IMDG: Not Applicable

Sub Class: Not Applicable

14.1. UN number Not Regulated

14.2. UN proper shipping Not Regulated

name 14.3. Transport hazard

DOT Hazard Class: Not class(es) Applicable

14.4. Packing group Not Applicable

Not Applicable Not Applicable

14.5. Environmental hazards

Marine Pollutant: No;

14.6. Special precautions for user

Not Applicable

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA Control Act (TSCA) Inventory.

Page **8** of **9**



SDS Revision Date: 03/1/2021

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Isopropyl Alcohol

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Section 16. Other information

SDS Revision Date 04/17/2020

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

This Safety data Sheet was prepared using information provided by/obtained from the Dodge Chemical Company Inc. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to the product. The Dodge Chemical Company, Inc. expressly disclaim all expressed or implied warranty and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other processes as to the accuracy of and/or sufficiency of such information. This Safety Data Sheet may not be changed or altered in any way without the expressed knowledge and permission of The Dodge Chemical Company, Inc.

End of Document