

SDS Revision Date:

06/01/2016

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity ARON ALPHA SOLVENT **Alternate Names** ARON ALPHA SOLVENT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Solvent.

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name The Dodge Chemical Company (Canada) Ltd.

1265 Fewster Drive

Mississauga ON L4W1A2

Emergency

(888) 226-8832 **CANUTEC**

Customer Service: The Dodge Chemical Company (Canada) Ltd. (800) 263-0862, (905) 625-0311

2. Hazard identification of the product

2.1. Classification of the substance or mixture

Flam. Liq. 3;H226 Flammable liquid and vapor. Acute Tox. 4;H312 Harmful in contact with skin.

Harmful if inhaled. Acute Tox. 4;H332

Eye Irrit. 2;H319 Causes serious eye irritation. Repr. 1B;H360D May damage the unborn child.



SDS Revision Date:

06/01/2016

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.







Danger

H226 Flammable liquid and vapor.

H312 Harmful in contact with skin.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H360D May damage the unborn child.

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking. P235 Keep cool.

P240 Ground / bond container and receiving equipment.

P241 Use explosion-proof electrical / ventilating / light / equipment. P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice /

attention. P322 Specific measures (see information on this label).

P337+313 If eye irritation persists: Get medical advice / attention.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.



SDS Revision Date: 06/01/2016

P363 Wash contaminated clothing before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant Provincial and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Dimethyl formamide CAS Number: 0000068-12-2		Repr. 1B;H360D Acute Tox. 4;H332 Acute Tox. 4;H312 Eye Irrit. 2;H319	[1][2]

^[1] Substance classified with a health or environmental hazard.

4. First aid measures

4.1. Description of first aid measures

General Move victim to fresh air.

Call 911 or emergency medical service if deemed necessary.

Give artificial respiration if victim is not breathing.

Administer oxygen if breathing is difficult.

Remove and isolate contaminated clothing and shoes.

In case of contact with substance, immediately flush skin or eyes with running water for at

least 20 minutes.

Wash skin with soap and water.

In case of burns, immediately cool affected skin for as long as possible with cold water. Do

not remove clothing if adhering to skin.

Keep victim warm and quiet.

Ensure that medical personnel are aware of the material(s) involved and take precautions

to protect themselves.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.
*The full texts of the phrases are shown in Section 16.

Dodge

SDS Revision Date:

06/01/2016

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove and isolate contaminated clothing and shoes. In case of contact with substance,

immediately flush skin or eyes with running water for at least 20 minutes. Shower and wash

with soap and water. Keep victim warm and quiet.

Ingestion If the person is conscious, have them drink water. Contact a physician immediately. Do not

induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview IHALATION: May cause facial flushing, especially after alcohol ingestion. Acute

overexposure may result in bluish tint to skin, headaches, dizziness, confusion, or coma. SKIN: Contact with skin may result in irritation. Toxic amounts can be absorbed through the

skin and result in headaches, dizziness, nausea, confusion, or coma.

EYE CONTACT: Contact with eyes may result in irritation.

INGESTION: May result in headaches, dizziness, nausea, confusion, or coma.

Contains and IARC Group 3 chemical: Not classifiable as to its carcinogenicity to humans.

Inhalation

Eyes Causes serious eye irritation. Skin Harmful in contact with skin.

Harmful if inhaled.

5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water fog.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of carbon and nitrogen.

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

Keep cool.

Ground / bond container and receiving equipment.

Use explosion-proof electrical / ventilating / light /

equipment. Use only non-sparking tools.

Take precautionary measures against static discharge. Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or

flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers,

Dodge

SDS Revision Date:

06/01/2016

basements, tanks).

Vapor explosion hazard indoors, outdoors or in sewers.

Runoff to sewer may create fire or explosion hazard.

Containers may explode when heated.

Many liquids are lighter than water.

Substance may be transported hot.

Inhalation or contact with material may irritate or burn skin and eyes.

Fire may produce irritating, corrosive and/or toxic gases.

Vapors may cause dizziness or suffocation.

Runoff from fire control or dilution water may cause pollution.

ERG Guide No. 128

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Water spray may reduce vapor; but may not prevent ignition in closed spaces.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Vapor is heavier than air and may flow along surface to distant ignition source and flashback.

Large Spill: As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions.

Keep unauthorized personnel away.

Stay upwind.

Keep out of low areas.

Ventilate closed spaces before entering.

7. Handling and storage

7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Keep containers tightly sealed when not in use. Store in a cool, dry place.

Incompatible materials: Avoid contact with oxidizing agents, halogenated hydrocarbons, inorganic acids, bromine, and organic nitrates.

See section 2 for further details. - [Storage]:



SDS Revision Date:

06/01/2016

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000068-12-2	Dimethyl formamide	OSHA	TWA 10 ppm (30 mg/m3) [skin]
		ACGIH	TWA: 10 ppmSkin
			TWA 10 ppm (30 mg/m3) [skin]
	Supplier	No Established Limit	

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000068-12-2	Dimethyl formamide	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;

8.2. Exposure controls

Respiratory Wear a NIOSH approved organic vapor/mist respirator if vapors or mists are generated or if

exposure limits are exceeded.

Eyes Wear safety eyewear, e.g. safety spectacles, goggles or visors to protect against the

splash of liquids.

Skin Impervious gloves are recommended. Butyl rubber gloves provide the best protection.

Wash gloves before removal to prevent skin contact.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Dodge

SDS Revision Date:

06/01/2016

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Clear Colorless Liquid

Odor Slight Amine

Odor threshold Not Measured

pH N.A.

Melting point / freezing pointNot MeasuredInitial boiling point and boiling range307F (153C)Flash Point136F (58C)

Evaporation rate (Ether = 1)

Not Measured
Flammability (solid, gas)

Not Applicable

Upper/lower flammability or explosive limits

Lower Explosive Limit: 2.2

Upper Explosive Limit: 16

Vapor pressure (Pa) 3mm @ 68F

Vapor Density 2.5 **Specific Gravity** 0.945 Solubility in Water Complete Partition coefficient n-octanol/water (Log Kow) Not Measured **Auto-ignition temperature** Not Measured **Decomposition temperature** Not Measured Not Measured Viscosity (cSt) VOC % Not Measured

% Volatile 100

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

Dodge

SDS Revision Date:

06/01/2016

10.4. Conditions to avoid

Avoid prolonged exposure to heat and/or light.

10.5. Incompatible materials

Avoid contact with oxidizing agents, halogenated hydrocarbons, inorganic acids, bromine, and organic nitrates.

10.6. Hazardous decomposition products

Formic acid, oxides of carbon, and nitrogen.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Dimethyl formamide - (68-12-2)	2,800.00, Rat - Category: 5	1,500.00, Rabbit - Category: 4	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)	4	Harmful in contact with skin.
Acute toxicity (inhalation)	4	Harmful if inhaled.
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity	1B	May damage the unborn child.
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable



SDS Revision Date:

06/01/2016

	Aspiration hazard		Not Applicable
--	-------------------	--	----------------

12. Ecological information

12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
Dimethyl formamide - (68-12-2)	7,100.00, Lepomis macrochirus	100.00, Crangon crangon	500.00 (96 hr), Desmodesmus subspicatus

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.



SDS Revision Date:

06/01/2016

14. Transport information

DOT (Domestic Surface

Transportation)

14.1. UN number UN1993

14.2. UN proper shipping name (Dimethyl Formamide), 3, III

14.3. Transport hazard class(es)

14.4. Packing Ш

group

UN1993, Flammable liquids, n.o.s.,

DOT Hazard Class: 3 **DOT Label:** 3

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

IMO / IMDG (Ocean Transportation)

UN1993 UN1993

Flammable liquids, n.o.s., (Dimethyl Formamide)

IMDG: 3

Sub Class: Not Applicable

Ш

ICAO/IATA

Flammable liquids, n.o.s., (Dimethyl Formamide)

Air Class: 3

Ш

15. Regulatory information

The regulatory data in Section 15 is not intended to be all-inclusive, only selected Regulatory Overview

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory. WHMIS Classification B3 D2A

US EPA Tier II Hazards Fire: Yes

Sudden Release of Pressure: No.

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs (lbs):

Dimethyl formamide (100.00)

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Dimethyl formamide

Dodge

SDS Revision Date:

06/01/2016

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

N.J. RTK Substances (>1%):

Dimethyl formamide

Penn RTK Substances (>1%):

Dimethyl formamide

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3

is: H312 Harmful in contact with skin.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H360D May damage the unborn child.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

This Safety data Sheet was prepared using information provided by/obtained from The Dodge Chemical Company (Canada) Ltd. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to the product. The Dodge Chemical Company (Canada) Ltd. expressly disclaim all expressed or implied warranty and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other processes as to the accuracy of and/or sufficiency of such information. This Safety Data Sheet may not be changed or altered in any way without the expressed knowledge and permission of The Dodge Chemical Company (Canada) Ltd.

End of Document