

SDS Revision Date: 06/01/2016

## 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity Dry Wash II

Alternate Names Chemical Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Application Method See Technical Data Sheet.

See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name The Dodge Chemical Company (Canada) Ltd.

1265 Fewster Drive,

Mississauga ON L4W1A2

**Emergency** 

**CANUTEC** (888) 226-8832

**Customer Service** 

The Dodge Chemical Company (Canada) Ltd. (800) 263-0862, 905-625-0311

## 2. Hazard identification of the product

#### 2.1. Classification of the substance or mixture

Flam. Liq. 2;H225 Highly Flammable liquid and vapor.

Acute Tox. 4:H302 Harmful if swallowed.

Acute Tox. 5;H313 May be harmful in contact with skin. (Not adopted by US OSHA)

Skin Irrit. 2;H315 Causes skin irritation.

Eye Irrit. 2;H319 Causes serious eye irritation. STOT SE 2;H371 May cause damage to organs.

Aquatic Chronic 1;H410 Very toxic to aquatic life with long lasting effects.



SDS Revision Date:

06/01/2016

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



## **Danger**

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H313 May be harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H371b May cause damage to organs if inhaled or swallowed.

H371h May cause damage to organs in contact with skin.

H410 Very toxic to aquatic life with long lasting effects.

#### [Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P241 Use explosion-proof electrical / ventilating / light / equipment.

P260 Do not breathe mist / vapors / spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this

product. P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

#### [Response]:

P301+312 IF SWALLOWED: Call a POISON CENTER or doctor / physician if you feel unwell. P302+352 IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P309+311 IF exposed or you feel unwell Call a POISON CENTER or doctor / physician. P321 Specific treatment (see information on this label).

P330 Rinse mouth.

P337+313 If eye irritation persists: Get medical advice / attention.



SDS Revision Date: 06/01/2016

P362 Take off contaminated clothing and wash before reuse.

P370+378 In case of fire: Use alcohol resistant foam, CO2, powder, water spray for extinction. Do not use water jet. P391 Collect spillage.

#### [Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed. P405 Store locked up.

#### [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
2-Propanone CAS Number: 0000067-64-1	25 - 50	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336	[1][2]
Heptane, branched cyclic CAS Number: 0426260-76-6	25 - 50	Flam. Liq. 2;H225 Asp. Tox. 1;H304 Skin Irrit. 2;H315 STOT SE 3;H336 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	[1]
Acetic acid, 1-methylethyl ester CAS Number: 0000108-21-4	1.0 - 10	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336	[1][2]
Methanol CAS Number: 0000067-56-1	1.0 - 10	Flam. Liq. 2;H225 Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 3;H301 STOT SE 1;H370	[1][2]

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.
- [3] PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.

# Dodge

## Safety Data Sheet Dry Wash II

**SDS Revision Date:** 

06/01/2016

## 4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.

Inhalation **Eves** 

Never give anything by mouth to an unconscious person.

Skin Ingestion

4.2. Most important symptoms and effects, both acute and delayed Irrigate copiously with clean fresh water for at least 15 minutes, holding the eyelids apart

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Overview Inhalation and seek medical attention. Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

**Eves** Skin

If accidentally swallowed obtain immediate medical attention. Keep at rest. Do NOT induce

vomiting.

Ingestion

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatique, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

May cause damage to organs. Causes serious eye irritation.

May be harmful in contact with skin. (Not adopted by US OSHA) Causes skin irritation. Harmful if swallowed.

# Dodge

## Safety Data Sheet Dry Wash II

SDS Revision Date:

06/01/2016

## 5. Fire-fighting measures

#### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sup>2</sup>, powder, water spray. Do not use; water jet.

#### 5.2. Special hazards arising from the substance or mixture

Carbon Monoxide and Carbon Dioxide

Keep away from heat / sparks / open flames / hot surfaces - No smoking. Use explosion-proof electrical / ventilating / light / equipment.

Do not breathe mist / vapors / spray.

#### 5.3. Advice for fire-fighters

Wear self-contained breathing apparatus to protect from decomposition products.

ERG Guide No. 128

## 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Keep container closed when not in use. Avoid contact with eyes, skin, or clothing.

#### 6.2. Environmental precautions

Do not allow spills to enter drains or watercourses.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Vapor is heavier than air and may flow along surface to distant ignition source and flashback.

Spread an inert absorbent on the spill and place in a suitable, properly labeled container for recovery or disposal.

Flush area with large quantities of water.



SDS Revision Date:

06/01/2016

## 7. Handling and storage

#### 7.1. Precautions for safe handling

Store in accordance with the National Fire Protection Association's publication NFPA 30, Flammable and Combustible Liquids Code. 29 CFR 1910.106 applies to the handling, storage, and use of flammable and combustible liquids.

See section 2 for further details. - [Prevention]:

## 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage. Incompatible materials: Strong oxidizing agents See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

## 8. Exposure controls and personal protection

## 8.1. Control parameters Exposure

CAS No.	Ingestion	Source	Value
0000067-56-1 Methanol		OSHA	TWA 200 ppm (260 mg/m3)
		ACGIH	TWA: 200 ppmSTEL: 250 ppm Skin
		NIOSH	TWA 200 ppm (260 mg/m3) ST 250 ppm (325 mg/m3) [skin]
	<u> </u>	Supplier	No Established Limit
0000067-64-1	0000067-64-1 2-Propanone		TWA 1000 ppm (2400 mg/m3)STEL 2400 mg/m3
		ACGIH	TWA: 250 ppmSTEL: 500 ppm Skin
			250 ppm (590 mg/m3) TWA
ļ	<u> </u>	Supplier	No Established Limit
0000108-21-4	0000108-21-4 Acetic acid, 1-methylethyl ester		TWA 250 ppm (950 mg/m3)
		ACGIH	TWA: 100 ppmSTEL: 200 ppm Revised 2003,
		NIOSH	no established RELs
	<u> </u>	Supplier	No Established Limit



SDS Revision Date: 06/01/2016

0426260-76-6	Heptane, branched cyclic	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
	Supplier	No Established Limit	

#### Carcinogen Data

CAS No.	Ingestion	Source	Value			
0000067-56-1	Methanol	OSHA	Select Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
0000067-64-1	2-Propanone	OSHA	Select Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
0000108-21-4	Acetic acid, 1-methylethyl ester	OSHA	Select Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
0426260-76-6	Heptane, branched cyclic	OSHA	Select Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			

#### 8.2. Exposure controls

**Respiratory** Not necessary where area is properly ventilated.

**Eyes** Wear safety eyewear, e.g. safety spectacles, goggles or visors to protect against the

splash of liquids.

**Skin** Overalls which cover the body, arms and legs should be worn. Skin should not be exposed.

All parts of the body should be washed after contact. Wear PVC or rubber gloves.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:



SDS Revision Date:

06/01/2016

## 9. Physical and chemical properties

**Appearance** Liquid

Odor

Odor threshold Not Measured

pH N.A Melting point / freezing point (°C) N.A

Initial boiling point and boiling range (°C) 59C 138.2F
Flash Point -19C -2.2F TCC

**Evaporation rate (Ether = 1)** Greater than 1 (Bu Acetate=1)

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits

Lower Explosive Limit: 2.5%

Upper Explosive Limit: 12.8%

Vapor pressure (Pa)Not MeasuredVapor DensityGreater than 1Specific Gravity.78 @ 20CSolubility in WaterMiscible

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature (°C)

Not Measured

Not Measured

Viscosity (cSt)

Not Measured

**VOC %** 100%

#### 9.2. Other information

No other relevant information.

## 10. Stability and reactivity

### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.



SDS Revision Date: 06/01/2016

10.4. Conditions to avoid

Excessive heat and open flame.

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Carbon Monoxide and Carbon Dioxide

## 11. Toxicological information

### **Acute toxicity**

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
2-Propanone - (67-64-1)	2,000.00, Rat - Category: 4	2,000.00, Rabbit - Category: 4	76.00, Rat - Category: NA	No data available	No data available
Heptane, branched cyclic - (426260-76-6)	No data available	No data available	No data available	No data available	No data available
Acetic acid, 1-methylethyl ester - (108-21-4)	6,750.00, Rat - Category: NA	20,000.00, Rabbit - Category: NA	17,129.60, Rabbit - Category: NA	No data available	No data available
Methanol - (67-56-1)	143.00, Human - Category: 3	15,800.00, Rabbit - Category: NA	128.00, Rat - Category: NA	No data available	64,000.00, Rat - Category: NA

Dodge

SDS Revision Date: 06/01/2016

Item	Category	Hazard
Acute Toxicity (mouth)	4	Harmful if swallowed.
Acute Toxicity (skin)	5	May be harmful in contact with skin. (Not adopted by US OSHA)
Acute Toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Eye damage/irritation	2	Causes serious eye irritation.
Sensitization (respiratory)		Not Applicable
Sensitization (skin)		Not Applicable
Germ toxicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive Toxicity		Not Applicable
Specific target organ systemic toxicity (single exposure)	2	May cause damage to organs.
Specific target organ systemic Toxicity (repeated exposure)		Not Applicable
Aspiration hazard		Not Applicable

## 12. Ecological information

## 12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

Very toxic to aquatic life with long lasting effects.

## **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
2-Propanone - (67-64-1)	100.00, Pimephales promelas	10.00, Daphnia magna	20.565 (72 hr), Ulva pertusa
Heptane, branched cyclic - (426260-76-6)	Not Available	Not Available	Not Available
Acetic acid, 1-methylethyl ester - (108-21-4)	Not Available	Not Available	Not Available
Methanol - (67-56-1)	100.00, Pimephales promelas	10,000.00, Daphnia magna	16.912 (96 hr), Ulva pertusa



SDS Revision Date:

06/01/2016

## 12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

## 13. Disposal considerations

#### 13.1. Waste treatment methods

Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act.

Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, whether the special waste regulations apply.

## 14. Transport information

**14.1. UN number** UN1993

**14.2. UN proper shipping name** Flammable liquids, n.o.s.,(contains Acetone/Heptane)

14.3. Transport hazard class(es)

**DOT (Domestic Surface Transportation)** 

Name
Flammable liquids,
n.o.s.,(contains
Acetone/Heptane)

IMDG Proper

IMO / IMDG (Ocean Transportation)

Shipping Name

Flammable liquids, n.o.s.,(contains Acetone/Heptane)

Dodge

SDS Revision Date:

06/01/2016

DOT Hazard Class 3 IMDG Hazard Class 3

DOT Label 3 Sub Class

UN / NA Number UN1993

DOT Packing Group || IMDG Packing Group ||

**CERCLA/DOT RQ** 1280 gal. / 10661 lbs.

14.4. Packing group

14.5. Environmental hazards

IMDG Marine Pollutant: (Heptane, branched cyclic)

14.6. Special precautions for user

Not Applicable

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

## 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

WHMIS Classification B2 D2B

US EPA Tier II Hazards Fire: Yes

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs (lbs) (>0.1%):

2-Propanone (5,000.00)

Methanol (5,000.00)

EPCRA 302 Extremely Hazardous (>.1%):

(No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals (>.1%):

Methanol

Proposition 65 - Carcinogens (>0.0%):

(No Product Ingredients Listed)



SDS Revision Date:

06/01/2016

## **Proposition 65 - Developmental Toxins (>0.0%):**

(No Product Ingredients Listed)

## **Proposition 65 - Female Repro Toxins (>0.0%):**

(No Product Ingredients Listed)

## Proposition 65 - Male Repro Toxins (>0.0%):

(No Product Ingredients Listed)

#### N.J. RTK Substances (>1%):

Acetic acid, 1-methylethyl ester

2-Propanone

Methanol

## Penn RTK Substances (>1%):

Acetic acid, 1-methylethyl ester

2-Propanone

Methanol

# Dodge

## Safety Data Sheet Dry Wash II

SDS Revision Date:

06/01/2016

## 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness and dizziness.

H370 Causes damage to organs.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This is the first revision of this SDS format, changes from previous revision not applicable.

This Safety data Sheet was prepared using information provided by/obtained from The Dodge Chemical Company (Canada) Ltd. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to the product. The Dodge Chemical Company (Canada) Ltd. expressly disclaim all expressed or implied warranty and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other processes as to the accuracy of and/or sufficiency of such information. This Safety Data Sheet may not be changed or altered in any way without the expressed knowledge and permission of The Dodge Chemical Company (Canada) Ltd.

**End of Document**