SDS Revision Date:

06/01/2016

# **Dodge**

## 1. Identification

1.1. Product identifier

**Product Identity** Syn Cav

**Alternate Names** Cavity Embalming Fluid, Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.

See Technical Data Sheet. **Application Method** 

1.3. Details of the supplier of the safety data sheet

**Company Name** The Dodge Chemical

> Company (Canada) Ltd. 1265 Fewster Drive, Mississauga ON L4W 1A2

**Emergency** (888) 226-8832 **CANUTEC** 

Customer Service: The Dodge Chemical Company (Canada) Ltd. (800) 263-0862, (905) 625-0311

## 2. Hazard(s) identification

### 2.1. Classification of the substance or mixture

Flam. Liq. 3;H226 Flammable liquid and vapor.

May be harmful if swallowed. (Not adopted by US OSHA) Acute Tox. 5:H303

Acute Tox. 5:H313 May be harmful in contact with skin. (Not adopted by US OSHA)

Harmful if inhaled. Acute Tox. 4;H332

Skin Corr. 1B;H314 Causes severe skin burns and eye damage.

Eye Dam. 1;H318 Causes serious eye damage.

Skin Sens. 1:H317 May cause an allergic skin reaction. Muta. 2;H341 Carc. Suspected of causing genetic defects.

1B:H350 STOT SE May cause cancer.

2;H371 May cause damage to organs. Specific Target Organs: (Not Available)

Toxic to aquatic life with long lasting effects. Aquatic Chronic 2;H411

**SDS Revision Date:** 

06/01/2016

# Dodge

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



## Danger

H226 Flammable liquid and vapor.

H303 May be harmful if swallowed.

H313 May be harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H371 May cause damage to organs.

H411 Toxic to aquatic life with long lasting effects.

### [Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking. P235 Keep cool.

P240 Ground / bond container and receiving equipment.

P241 Use explosion-proof electrical / ventilating / light / equipment. P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.

SDS Revision Date: 06/01/2016



P280 Wear protective gloves / eye protection / face protection.

### [Response]:

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician. P302+352 IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice / attention.

P309+311 IF exposed or you feel unwell Call a POISON CENTER or doctor / physician. P310 Immediately call a POISON CENTER or doctor / physician.

P321 Specific treatment (see information on this label).

P331 Do NOT induce vomiting.

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing. P363 Wash contaminated clothing before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction. P391 Collect spillage.

## [Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed. P405 Store locked up.

### [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Propylene glycol CAS Number: 0004254-16-4	5 - 10	Not Classified	[1]
Formaldehyde CAS Number: 0000050-00-0	5 - 10	Carc. 1B;H350 Muta. 2;H341 Acute Tox. 3;H301 Acute Tox. 3;H311 Acute Tox. 3;H331 Skin Corr. 1B;H314 Skin Sens. 1;H317 >0.2 %	[1][2]
Methanol	5 - 10	Flam. Liq. 2;H225	[1][2][3]

**SDS Revision Date:** 

06/01/2016



CAS Number: 0000067-56-1	Acute Tox. 3;H331 Acute Tox. 3;H311
	Acute Tox. 3;H301 STOT SE 1:H370 (> 10%)
	STOT SE 2;H371 (3% ~ 10%)

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.
- [3] PBT-substance or vPvB-substance.

## 4. First aid measures

### 4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Inhalation Never give anything by mouth to an unconscious person.

**Eyes** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give Skin artificial respiration. If unconscious place in the recovery position and obtain immediate Ingestion

medical attention. Give nothing by mouth.

4.2. Most important acute and delayed

symptoms and effects, both Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Overview Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

Inhalation recognized skin cleanser.

**Eves** If the person is conscious, have them drink water. Contact a physician immediately. Do not

Skin induce vomiting.

Ingestion

5.1. Extinguishing

media No specific symptom data available.

Reproductive or genetic defect hazard. See section 2 for further details. Recommended

extinguishing media:

Harmful if inhaled. May cause damage to organs. alcohol resistant foam,

Causes serious eye damage.

CO<sub>2</sub>, powder, water May be harmful in contact with skin. (Not adopted by US OSHA) May cause an allergic skin

spray. Do not use: water reaction. Causes severe skin burns and eye damage. jet.

May be harmful if swallowed. (Not adopted by US OSHA)

5.2. Special hazards arising from the substance or mixture

## 5. Fire-fighting measures

P

ge 4 of 12

<sup>\*</sup>The full texts of the phrases are shown in Section 16.

SDS Revision Date:

06/01/2016



Hazardous decomposition: Oxides of carbon and nitrogen.

Keep away from heat / sparks / open flames / hot surfaces - No smoking. Keep cool.

Ground / bond container and receiving equipment.

Use explosion-proof electrical / ventilating / light / equipment. Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust / fume / gas / mist / vapors / spray.

Do not get in eyes, on skin, or on clothing.

### 5.3. Advice for fire-fighters

Wear self-contained breathing apparatus to protect from decomposition products.

ERG Guide No.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Keep container closed when not in use. Avoid contact with eyes, skin, or clothing.

### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### 6.3. Methods and material for containment and cleaning up

Vapor is heavier than air and may flow along surface to distant ignition source and flashback.

Spread an inert absorbent on the spill and place in a suitable, properly labeled container for recovery or disposal.

Flush area with large quantities of water.

## 7. Handling and storage

#### 7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage. Incompatible materials: Strong oxidizing agents, strong acids and alkalis See section 2 for further details. - [Storage]:

### 7.3. Specific end use(s)

SDS Revision Date: 06/01/2016



No data available.

## 8. Exposure controls and personal protection

## 8.1. Control parameters

## **Exposure**

CAS No.	Ingredient	Source	Value
0000050-00-0 Formaldehyde		OSHA	TWA 0.75 ppm STEL 2 ppm
			STEL: 0.3 ppm Ceiling: 1 ppm S, A2, 1
			Ca TWA 0.016 ppm C 0.1 ppm [15-minute]
		Supplier	No Established Limit
0000067-56-1 Methanol		OSHA	TWA 200 ppm (260 mg/m3)
	ACGIH	TWA: 200 ppm STEL: 250 ppm Skin	
			TWA 200 ppm (260 mg/m3) ST 250 ppm (325 mg/m3) [skin]
		Supplier	No Established Limit
0004254-16-4 Propylene glycol		OSHA	No Established Limit
		ACGIH	No Established Limit
			No Established Limit
		Supplier	No Established Limit

## **Carcinogen Data**

CAS No.	Ingredient	Source	Value			
0000050-00-0	Formaldehyde	OSHA	Select Carcinogen: Yes			
		NTP	Known: Yes; Suspected: Yes			
_		IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
0000067-56-1	Methanol	OSHA	SHA   Select Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
0004254-16-4	Propylene glycol	OSHA	Select Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			

## 8.2. Exposure controls

**Respiratory** Not necessary where area is properly ventilated.

**Eyes** Wear safety eyewear, e.g. safety spectacles, goggles or visors to protect against the

splash of liquids.

**Skin** Overalls which cover the body, arms and legs should be worn. Skin should not be exposed.

All parts of the body should be washed after contact. Wear PVC or rubber gloves.

SDS Revision Date: 06/01/2016

# Dodge

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

## 9. Physical and chemical properties

Appearance Clear Blue Liquid

**Odor** Slightly perfumed, with pungent odor.

Odor threshold Not determined

pH 6-7
Melting point / freezing point N.A

Initial boiling point and boiling range 90-92C 194-198F

**Flash Point** 60-63C 140-145F

**Evaporation rate (Ether = 1)** < 1 (n-Butyl acetate = 1) **Flammability (solid, gas)**Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: 7%

Upper Explosive Limit: 73%

Vapor pressure (Pa)Not MeasuredVapor DensityGreater than 1Specific Gravity1.01-1.05Solubility in WaterCompletePartition coefficient n-octanol/water (Log Kow)Not MeasuredAuto-ignition temperatureNot MeasuredDecomposition temperatureNot Measured

VOC Content 99%

9.2. Other information

Viscosity (cSt)

No other relevant information.

## 10. Stability and reactivity

Not Measured

### 10.1. Reactivity

Hazardous Polymerization will not occur.

**SDS Revision Date:** 

06/01/2016

# Dodge

### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid prolonged exposure to heat and/or light.

## 10.5. Incompatible materials

Strong oxidizing agents, strong acids and alkalis

## 10.6. Hazardous decomposition products

Oxides of carbon and nitrogen.

## 11. Toxicological information

### **Acute toxicity**

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Propylene glycol - (4254-16-4)	No data available	No data available	No data available	No data available	No data available
Formaldehyde - (50-00-0)	800.00, Rat - Category: 4	270.00, Rabbit - Category: 3	No data available	No data available	No data available
Methanol - (67-56-1)	143.00, Human - Category: 3	No data available	No data available	No data available	64,000.00, Rat - Category: NA

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	5	May be harmful if swallowed. (Not adopted by US OSHA)
Acute toxicity (dermal)	5	May be harmful in contact with skin. (Not adopted by US OSHA)
Acute toxicity (inhalation)	4	Harmful if inhaled.
Skin corrosion/irritation	1B	Causes severe skin burns and eye damage.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization		Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.

**SDS Revision Date:** 

06/01/2016



Germ cell mutagenicity	2	Suspected of causing genetic defects.	
Carcinogenicity	1B	May cause cancer.	
Reproductive toxicity		Not Applicable	
STOT-single exposure	2	May cause damage to organs.	
STOT-repeated exposure		Not Applicable	
Aspiration hazard		Not Applicable	

## 12. Ecological information

### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

## **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Propylene glycol - (4254-16-4)	Not Available	Not Available	Not Available
Formaldehyde - (50-00-0)	1.41, Oncorhynchus mykiss	5.80, Daphnia pulex	0.788 (96 hr), Ulva pertusa
Methanol - (67-56-1)	100.00, Pimephales promelas	10,000.00, Daphnia magna	16.912 (96 hr), Ulva pertusa

## 12.2. Persistence and degradability

There is no data available on the preparation itself.

### 12.3. Bioaccumulative potential

Not Measured

## 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

## 13. Disposal considerations

### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

SDS Revision Date: 06/01/2016



## 14. Transport information

DOT (Domestic Surface Transportation) IMO / IMDG (Ocean ICAO/IATA

Transportation)

Not Regulated

Not Regulated

**14.1. UN number** NA3082

**14.2. UN proper** DOT Classification, Not Regulated Airline, Other **shipping name** Regulated Substances, Liquid, NOS (Contains

Formaldehyde), 9, NA 3082, PG III, Ltd. Qty.

14.3. Transport DOT Hazard Class: 9 IMDG: 9 Air Class: 9

hazard class(es)

Sub Class: Not Applicable

14.4. PackingNot ApplicableIIIIII

group

14.5. Environmental hazards

**IMDG** Marine Pollutant: Yes; (Formaldehyde)

14.6. Special precautions for user

No further information

## 15. Regulatory information

Regulatory OverviewThe regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

**Toxic Substance** All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

WHMIS Classification B3 D2A E

US EPA Tier II Hazards Fire: Yes

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): Yes

EPCRA 311/312 Chemicals and RQs (lbs):

Formaldehyde (100.00) Methanol (5,000.00)

**EPCRA 302 Extremely Hazardous:** 

Formaldehyde

**EPCRA 313 Toxic Chemicals:** 

**SDS** Revision Date:

06/01/2016

# Dodge

Formaldehyde

Methanol

Proposition 65 - Carcinogens (>0.0%):

Formaldehyde

Proposition 65 - Developmental Toxins (>0.0%):

Methanol

**Proposition 65 - Female Repro Toxins (>0.0%):** 

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Male Repro Toxins (>0.0%):** 

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**New Jersey RTK Substances (>1%):** 

Formaldehyde

Methanol

Pennsylvania RTK Substances (>1%):

Formaldehyde

Methanol

## 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3

is: H225 Highly flammable liquid and vapor.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H370 Causes damage to organs.

H371 May cause damage to organs.

SDS Revision Date: 06/01/2016



This Safety data Sheet was prepared using information provided by/obtained from The Dodge Chemical Company (Canada) Ltd. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to the product. The Dodge Chemical Company (Canada) Ltd. expressly disclaim all expressed or implied warranty and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other processes as to the accuracy of and/or sufficiency of such information. This Safety Data Sheet may not be changed or altered in any way without the expressed knowledge and permission of The Dodge Chemical Company (Canada) Ltd.

**End of Document**