SDS Revision Date: 06/01/2016



## 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity Viscerock FF

Alternate Names Embalming Chemical/Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Application Method Embalming Chemical

See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

**Company Name** 

The Dodge Chemical Company (Canada) Ltd.

1265 Fewster Drive,

Mississauga ON L4W 1A2

**Emergency** 

**CHEMTREC (USA)** (888) 226-8832

**Customer Service** 

The Dodge Chemical Company (Canada) Ltd. (800) 263-0862 (905) 625-0311

### 2. Hazard identification of the product

#### 2.1. Classification of the substance or mixture

Acute Tox. 5;H303 May be harmful if swallowed. (Not adopted by US OSHA)

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

### Warning

H303 May be harmful if swallowed.

SDS Revision Date: 06/01/2016



[Prevention]:

No GHS prevention statements

[Response]:

P312 Call a POISON CENTER or doctor / physician if you feel unwell.

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant Provincial and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
2-Propenoic acid, polymer with sodium 2-propenoate CAS Number: 0009033-79-8	10 - 25		[1]
Aluminium sulfate CAS Number: 0010043-01-3	1.0 - 10		[1]
Borax (B4Na2O7.10H2O) CAS Number: 0001303-96-4	1.0 - 10	Repr. 1B;H360FD Acute Tox. 4;H332	[1][2]
Methanol CAS Number: 0000067-56-1	1.0 - 10	Flam. Liq. 2;H225 Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 3;H301 STOT SE 1;H370	[1][2]
Isopropyl Alcohol CAS Number: 0000067-63-0	1.0 - 10	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336	[1][2]

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.
- [3] PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.

**SDS Revision Date:** 06/01/2016



#### 4. First aid measures

4.1. Description of first aid measures

General Inhalation

In all cases of doubt, or when symptoms persist, seek medical attention.

Eves

Never give anything by mouth to an unconscious person.

Skin Ingestion

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate

4.2. Most important symptoms and effects,

medical attention. Give nothing by mouth.

both acute and delayed

Irrigate copiously with clean fresh water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Overview Ingestion

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

If accidentally swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Suspected of damaging fertility or the unborn child. Animal ingestion studies in several species, at high doses, indicate that borates cause reproductive and developmental effects. A human study of occupational exposure to borate dust showed no adverse effect on reproduction.

Contact with eyes, prolonged skin contact may lead to irritation. Mildly toxic by ingestion and may injure mouth, throat, and gastrointestinal tract. Inhalation of dust may irritate nose and throat.

Other Hazards: Dust irritant.

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

May be harmful if swallowed. (Not adopted by US OSHA)



**SDS Revision Date:** 

06/01/2016

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Small Fire use ABC Dry Chemical extinguisher. Large Fire use water spray, fog or foam. Do not use straight stream.

#### 5.2. Special hazards arising from the substance or mixture

Oxides of carbon and nitrogen.

#### 5.3. Advice for fire-fighters

Wear self-contained breathing apparatus to protect from decomposition products.

ERG Guide No.

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Keep container closed when not in use. Avoid contact with eyes, skin, or clothing.

#### 6.2. Environmental precautions

Do not allow spills to enter drains or watercourses.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Spread an inert absorbent on the spill and place in a suitable, properly labeled container for recovery or disposal.

Flush area with large quantities of water.

### 7. Handling and storage

#### 7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage. Incompatible materials: Strong acids and amines See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

**SDS Revision Date:** 

06/01/2016



## 8. Exposure controls and personal protection

#### 8.1. Control parameters

#### **Exposure**

CAS No.	Ingestion	Source	Value	
0000067-56-1	Methanol	OSHA	TWA 200 ppm (260 mg/m3)	
		ACGIH	TWA: 200 ppmSTEL: 250 ppm Skin	
		NIOSH	TWA 200 ppm (260 mg/m3) ST 250 ppm (325 mg/m3) [skin]	
		Supplier	No Established Limit	
0000067-63-0	0000067-63-0 Isopropyl Alcohol		TWA 400 ppm (980 mg/m3)STEL 500 ppm	
		ACGIH	TWA: 200 ppmSTEL: 400 ppm Revised 2003,	
		NIOSH	TWA 400 ppm (980 mg/m3) ST 500 ppm (1225 mg/m3)	
		Supplier	No Established Limit	
0001303-96-4	0001303-96-4 Borax (B4Na2O7.10H2O)	OSHA	No Established Limit	
		ACGIH	TWA: 2 mg/m3STEL: 6 mg/m3	
		NIOSH	TWA 5 mg/m3	
		Supplier	No Established Limit	
		OSHA	No Established Limit	
propenoate	ACGIH	No Established Limit		
		NIOSH	No Established Limit	
		Supplier	No Established Limit	
0010043-01-3	0010043-01-3 Aluminium sulfate		No Established Limit	
		ACGIH	No Established Limit	
		NIOSH	No Established Limit	
		Supplier	No Established Limit	

#### **Carcinogen Data**

CAS No.	Ingestion	Source	Value		
0000067-56-1	Methanol	OSHA	Select Carcinogen: No		
		NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
0000067-63-0	Isopropyl Alcohol	OSHA	Select Carcinogen: No Known: No; Suspected: No		
		NTP			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;		
0001303-96-4	Borax (B4Na2O7.10H2O)	OSHA	Select Carcinogen: No		
		NTP	Known: No; Suspected: No		



SDS Revision Date: 06/01/2016

		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		OSHA	Select Carcinogen: No
	sodium 2-propenoate		Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0010043-01-3	Aluminium sulfate	OSHA	Select Carcinogen: No
			Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

#### 8.2. Exposure controls

**Respiratory** Not necessary where area is properly ventilated.

**Eyes** Wear safety eyewear, e.g. safety spectacles, goggles or visors to protect against the

splash of liquids.

**Skin** Overalls which cover the body, arms and legs should be worn. Skin should not be exposed.

All parts of the body should be washed after contact. Wear PVC or rubber gloves.

**Engineering Controls** Provide adequate ventilation when handling this material. If possible handle in the open.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

## 9. Physical and chemical properties

**Appearance** Light tan granular Solid

**Odor** Fruity

Odor threshold

PH

Not available

Melting point / freezing point (°C)

Not available

Initial boiling point and boiling range (°C)

Flash Point

Not available

Evaporation rate (Ether = 1)

Flammability (solid, gas)

Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: 7%

**Upper Explosive Limit: 73%** 

Vapor pressure (Pa)Not availableVapor DensityNot availableSpecific Gravity0.380-0.430Solubility in WaterNegligible

Dodge

SDS Revision Date: 06/01/2016

Partition coefficient n-octanol/water (Log Kow)
Auto-ignition temperature (°C)
Decomposition temperature
Viscosity (cSt)
VOC %

Not Measured Not Measured Not Measured Not Measured 1%

#### 9.2. Other information

No other relevant information.

### 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid prolonged exposure to heat and/or light.

#### 10.5. Incompatible materials

Strong acids and amines

#### 10.6. Hazardous decomposition products

Oxides of carbon and nitrogen.

### 11. Toxicological information

#### **Acute toxicity**

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.



SDS Revision Date:

06/01/2016

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	1 ' 1
2-Propenoic acid, polymer with sodium 2-propenoate - (9033-79-8)	> 5,000.00, Rat - Category: NA	No data available	No data available	No data available	No data available
Aluminium sulfate - (10043-01-3)	No data available	No data available	No data available	No data available	No data available
Borax (B4Na2O7.10H2O) - (1303-96-4)	2,660.00, Rat - Category: 5	10,000.00, Rabbit - Category: NA	No data available	2.00, Rat - Category: 4	No data available
Methanol - (67-56-1)	143.00, Human - Category: 3	15,800.00, Rabbit - Category: NA	128.00, Rat - Category: NA	No data available	64,000.00, Rat - Category: NA
Isopropyl Alcohol - (67-63-0)	4,710.00, Rat - Category: 5	12,800.00, Rat - Category: NA	72.60, Rat - Category: NA	No data available	No data available

Item	Category	Hazard
Acute Toxicity (mouth)	5	May be harmful if swallowed. (Not adopted by US OSHA)
Acute Toxicity (skin)		Not Applicable
Acute Toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Eye damage/irritation		Not Applicable
Sensitization (respiratory)		Not Applicable
Sensitization (skin)		Not Applicable
Germ toxicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive Toxicity		Not Applicable
Specific target organ systemic toxicity (single exposure)		Not Applicable
Specific target organ systemic Toxicity (repeated exposure)		Not Applicable
Aspiration hazard		Not Applicable

**SDS Revision Date:** 

06/01/2016



## 12. Ecological information

#### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

#### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
2-Propenoic acid, polymer with sodium 2-propenoate - (9033-79-8)	Not Available	Not Available	Not Available
Aluminium sulfate - (10043-01-3)	Not Available	Not Available	Not Available
Borax (B4Na2O7.10H2O) - (1303-96-4)	74.00, Limanda limanda	484.00, Daphnia magna	24.00 (72 hr), Scenedesmus subspicatus
Methanol - (67-56-1)	100.00, Pimephales promelas	10,000.00, Daphnia magna	16.912 (96 hr), Ulva pertusa
Isopropyl Alcohol - (67-63-0)	1,400.00, Lepomis macrochirus	100.00, Daphnia magna	100.00 (72 hr), Scenedesmus subspicatus

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.



SDS Revision Date: 06/01/2016

### 13. Disposal considerations

#### 13.1. Waste treatment methods

Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act.

Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, whether the special waste regulations apply.

### 14. Transport information

14.1. UN numberNot Applicable14.2. UN proper shipping nameNot Regulated

14.3. Transport hazard class(es)

DOT (Domestic Surface Transportation) IMO / IMDG (Ocean Transportation)

**DOT Proper Shipping** Not Regulated IMDG Proper Not Regulated

Name Shipping Name

DOT Hazard Class Not Applicable IMDG Hazard Class Not Applicable

DOT LabelNoneSub ClassNot ApplicableUN / NA NumberNot Applicable

DOT Packing Group Not Applicable IMDG Packing Group Not Applicable

CERCLA/DOT RQ 10004 gal. / 83333 lbs.

**14.4. Packing group** Not Applicable

14.5. Environmental hazards

**IMDG** Marine Pollutant: No

14.6. Special precautions for user

Not Applicable

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable



SDS Revision Date: 06/01/2016

### 15. Regulatory information

Regulatory OverviewThe regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

WHMIS Classification Not Regulated

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): No

#### EPCRA 311/312 Chemicals and RQs (lbs):

Aluminium sulfate (5,000.00)

Methanol (5,000.00)

#### **EPCRA 302 Extremely Hazardous:**

(No Product Ingredients Listed)

#### **EPCRA 313 Toxic Chemicals:**

Isopropyl Alcohol

Methanol

#### Proposition 65 - Carcinogens (>0.0%):

(No Product Ingredients Listed)

#### Proposition 65 - Developmental Toxins (>0.0%):

(No Product Ingredients Listed)

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

(No Product Ingredients Listed)

#### Proposition 65 - Male Repro Toxins (>0.0%):

(No Product Ingredients Listed)

#### N.J. RTK Substances (>1%):

Aluminium sulfate

Isopropyl Alcohol

Methanol

SDS Revision Date:

06/01/2016



#### Penn RTK Substances (>1%):

Aluminium sulfate Borax (B4Na2O7.10H2O) Isopropyl Alcohol Methanol

#### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H300 Fatal if swallowed.

H302 Harmful if swallowed.

H303 May be harmful if swallowed.

H305 May be harmful if swallowed and enters airways.

H313 May be harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

H361 Suspected of damaging fertility or the unborn child.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

This is the first revision of this SDS format, changes from previous revision not applicable.

This Safety data Sheet was prepared using information provided by/obtained from The Dodge Chemical Company (Canada) Ltd. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to the product. The Dodge Chemical Company (Canada) Ltd. expressly disclaim all expressed or implied warranty and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to

**SDS Revision Date:** 

06/01/2016



use with any other product or in any other processes as to the accuracy of and/or sufficiency of such information. This Safety Data Sheet may not be changed or altered in any way without the expressed knowledge and permission of The Dodge Chemical Company (Canada) Ltd.

**End of Document**