## 1. Identification

1.1. Product identifier	
Product Identity	Syn Cav
Alternate Names	Cavity Embalming Fluid, Mixture
1.2. Relevant identified uses of the substance or mixt	ure and uses advised against
Intended use	See Technical Data Sheet.
Application Method	See Technical Data Sheet.
1.3. Details of the supplier of the safety data sheet	
Company Name	The Dodge Company, Inc
	9 Progress Road
	Billerica, MA 01821
Emergency	
CHEMTREC (USA)	(800) 424-9300
Customer Service: The Dodge Company, Inc	(800) 443-6343, (978) 600-2099

## 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Flam. Liq. 3;H226	Flammable liquid and vapor.
Acute Tox. 4;H302	Harmful if swallowed.
Acute Tox. 5;H313	May be harmful in contact with skin. (Not adopted by US OSHA)
Acute Tox. 4;H332	Harmful if inhaled.
Skin Irrit. 2;H315	Causes skin irritation.
Eye Irrit. 2;H319	Causes serious eye irritation.
Skin Sens. 1;H317	May cause an allergic skin reaction.
Muta. 2;H341	Suspected of causing genetic defects.
Carc. 1B;H350	May cause cancer.
STOT SE 2;H371	May cause damage to organs. Specific Target Organs: (Not Available)
2.2. Label elements	



Page **1** of **11** 

H226 Flammable liquid and vapor. H302 Harmful if swallowed.

H313 May be harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H371 May cause damage to organs.

### [Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P233 Keep container tightly closed.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, eye protection, face protection.

#### [Response]:

P301+312 IF SWALLOWED: Call a POISON CENTER or doctor , physician if you feel unwell.

P302+352 IF on skin: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P304+312 If inhaled: Call a poison center or doctor or physician if you feel unwell.

P305+351+338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice or attention.

P309+311 IF exposed or you feel unwell Call a POISON CENTER or doctor , physician.

P321 Specific treatment (see information on this label).

P330 IF SWALLOWED: Rinse mouth.

P331 Do NOT induce vomiting.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.

P337+313 If eye irritation persists: Get medical advice or attention.



P362 Take off contaminated clothing and wash before reuse.

P363 Wash contaminated clothing before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

### [Storage]:

P403+235 Store in a well ventilated place. Keep cool.

P405 Store locked up.

### [Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Propylene glycol CAS Number: 0004254-16-4	5 - 10	Not Classified	[1]
Formaldehyde CAS Number: 0000050-00-0	5 - 10	Carc. 1B;H350 Muta. 2;H341 Acute Tox. 3;H301 Acute Tox. 3;H311 Acute Tox. 3;H311 Skin Corr. 1B;H314 ≥ 25 % Skin Irrit. 2;H315 5 % ≤ C < 25 % Skin Sens. 1;H317 >0.2 % STOT SE 3;H335 ≥ 5 %	[1][2]
Methanol CAS Number: 0000067-56-1	5 - 10	Flam. Liq. 2;H225 Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 3;H301 STOT SE 1;H370 (> 10%)	[1][2]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

## Section 4. First aid measures

#### 4.1. Description of first aid measures

GeneralIn all cases of doubt, or when symptoms persist, seek medical attention.<br/>Never give anything by mouth to an unconscious person.InhalationRemove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give<br/>artificial respiration. If unconscious, place in the recovery position and obtain immediate<br/>medical attention. Give nothing by mouth.

Safety Data Sheet Syn Cav

Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If the person is conscious, have them drink water. Contact a physician immediately. Do not induce vomiting.
4.2. Most important syn	nptoms and effects, both acute and delayed
Overview	No specific symptom data available. Reproductive or genetic defect hazard. Treat symptomatically. See section 2 for further details.
Inhalation	Harmful if inhaled. May cause damage to organs.
Eyes	Causes serious eye irritation.
Skin	May be harmful in contact with skin. (Not adopted by US OSHA) May cause an allergic skin reaction. Causes skin irritation.
Ingestion	Harmful if swallowed.

## Section 5. Fire-fighting measures

### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray. Do not use: water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of carbon and nitrogen.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep container tightly closed.

Ground, bond container and receiving equipment.

Use explosion-proof electrical, ventilating, light, equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

----

Avoid breathing dust, fume, gas, mist, vapors, spray.

Do not get in eyes, on skin, or on clothing.

#### 5.3. Advice for fire-fighters

Wear self-contained breathing apparatus to protect from decomposition products.

ERG Guide No.

## Section 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Keep container closed when not in use. Avoid contact with eyes, skin, or clothing.



#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Vapor is heavier than air and may flow along surface to distant ignition source and flashback. Spread an inert absorbent on the spill and place in a suitable, properly labeled container for recovery or disposal.

Flush area with large quantities of water.

## Section 7. Handling and storage

#### 7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents, strong acids and alkalis

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

## Section 8. Exposure controls and personal protection

#### 8.1. Control parameters

Exposure					
CAS No.	Ingredient	Source	Value		
0000050-00-0	Formaldehyde	OSHA	TWA 0.75 ppm STEL 2 ppm		
		ACGIH	0.1 ppm TWA 0.3 ppm STEL		
		NIOSH	Ca TWA 0.016 ppm C 0.1 ppm [15-minute]		
0000067-56-1 Methanol		OSHA	TWA 200 ppm (260 mg/m3)		
		ACGIH	TWA: 200 ppm STEL: 250 ppm		
		NIOSH	TWA 200 ppm (260 mg/m3) ST 250 ppm (325 mg/m3) [skin]		
0004254-16-4	04254-16-4 Propylene glycol		No Established Limit		
		ACGIH	No Established Limit		
		NIOSH	No Established Limit		



8.2. Exposure controls	
Respiratory	Not necessary where area is properly ventilated.
Eyes	Wear safety glasses with side shields to protect the eyes. An eye wash station is suggested as a good workplace practice.
Skin	Overalls which cover the body, arms and legs should be worn. Skin should not be exposed. All parts of the body should be washed after contact. Wear PVC or rubber gloves to keep skin contact to a minimum. Refer to the manufacturer's recommendations regarding the suitability of any gloves used.
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.
See section 2 for further	details

See section 2 for further details.

## Section 9. Physical and chemical properties

Appearance	Clear Blue Liquid
Odor	Slightly perfumed, with pungent odor.
Odor threshold	Not determined
рН	6-7
Melting point / freezing point	N.A
Initial boiling point and boiling range	90-92C 194-198F
Flash Point	60-63C 140-145F
Evaporation rate (Ether = 1)	< 1 (n-Butyl acetate = 1)
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: 7%
	Upper Explosive Limit: 73%
Vapor pressure (Pa)	Not Measured
Vapor Density	Greater than 1
Relative Density	1.01-1.05
Solubility in Water	Not Measured
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured
VOC Content	99%
9.2. Other information	
No other relevant information.	

Dodge

## Section 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid prolonged exposure to heat and/or light.

#### 10.5. Incompatible materials

Strong oxidizing agents, strong acids and alkalis

#### 10.6. Hazardous decomposition products

Oxides of carbon and nitrogen.

## Section 11. Toxicological information

#### Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg			Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm	
Propylene glycol - (4254-16-4)						
Formaldehyde - (50-00-0)	260.00, Guinea Pig - Category: 3	270.00, Rabbit - Category: 3			1,000.00, Rat - Category: 3	
Methanol - (67-56-1)	2,769.00, Rat - Category: 5	17,100.00, Rabbit - Category: NA			64,000.00, Rat - Category: NA	

#### Carcinogen Data

CAS No.	Ingredient	Source	Value			
0000050-00-0	Formaldehyde	OSHA	Regulated Carcinogen: Yes			
		NTP	TP Known: Yes; Suspected: Yes			
		IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
		ACGIH	A1			
0000067-56-1	Methanol	OSHA	Regulated Carcinogen: No			
		NTP	Known: No; Suspected: No			

		IARC	Group 1: N	o; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	No Established Limit			
0004254-16-4	Propylene glycol	OSHA	Regulated Carcinogen: No			
		NTP	Known: No	; Suspected: No		
		IARC	Group 1: N	o; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	No Establis	hed Limit		
Classificatio	on	Ca	tegory	Hazard Description		
Acute toxicit	y (oral)		4	Harmful if swallowed.		
Acute toxicit	y (dermal)		5	May be harmful in contact with skin. (Not adopted by US OSHA)		
Acute toxicity (inhalation) 4		Harmful if inhaled.				
Skin corrosio	on/irritation		2 Causes skin irritation.			
Serious eye	damage/irritation		2 Causes serious eye irritation.			
Respiratory	sensitization			Not Applicable		
Skin sensitiz	ation		1	May cause an allergic skin reaction.		
Germ cell m	utagenicity		2	Suspected of causing genetic defects.		
Carcinogenie	city		1B	May cause cancer.		
Reproductive toxicity				Not Applicable		
STOT-single exposure			2	May cause damage to organs.		
STOT-repea	ted exposure		Not Applicable			
Aspiration ha	azard		Not Applicable			

## Section 12. Ecological information

### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data. Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Propylene glycol - (4254-16-4)	Not Available	Not Available	Not Available
Formaldehyde - (50-00-0)	1.41, Oncorhynchus mykiss	5.80, Daphnia pulex	Not Available
Methanol - (67-56-1)	15,400.00, Lepomis macrochirus	18,260.00, Daphnia magna	22,000.00 (96 hr), Pseudokirchneriella subcapitata

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured



#### 12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

## Section 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	NA3082	Not Regulated	Not Regulated
14.2. UN proper shipping name	DOT Classification, Not Regulated Airline, Other Regulated Substances, Liquid, NOS (Contains Formaldehyde), 9, NA 3082, PG III, Ltd. Qty.	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: 9	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	111	Not Applicable	Not Applicable
14.5. Environmer	ntal hazards		
IMDG	Marine Pollutant: No;		
14.6. Special pre	cautions for user		
	Not Applicable		

## Section 15. Regulatory information

#### Regulatory Overview

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) US EPA Tier II Hazards All components of this material are either listed or exempt from listing on the TSCA Inventory.

Fire: Yes Sudden Release of Pressure: No Reactive: No Immediate (Acute): Yes Delayed (Chronic): Yes

#### **EPCRA 302 Extremely Hazardous:**

Formaldehyde

#### **EPCRA 313 Toxic Chemicals:**

Formaldehyde

Methanol

#### Proposition 65 - Carcinogens (>0.0%):

Formaldehyde

#### Proposition 65 - Developmental Toxins (>0.0%):

Methanol

#### Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 Label Warning:**



WARNING!: This product can expose you to chemicals including [Formaldehyde], which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

## Section 16. Other information

#### SDS Revision Date 06/19/2019

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

## Safety Data Sheet Syn Cav

H301 Toxic if swallowed.

- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H370 Causes damage to organs.
- H371 May cause damage to organs.

This Safety data Sheet was prepared using information provided by/obtained from the Dodge Chemical Company Inc. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to the product. The Dodge Chemical Company, Inc. expressly disclaim all expressed or implied warranty and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other processes as to the accuracy of and/or sufficiency of such information. This Safety Data Sheet may not be changed or altered in any way without the expressed knowledge and permission of The Dodge Chemical Company, Inc.

End of Document