### 1. Identification

1.1. Product identifier	
Product Identity	Plasdo 25
Alternate Names	Arterial Embalming Chemical
1.2. Relevant identified uses of the substance or mix	ture and uses advised against
Intended use	See Technical Data Sheet.
Application Method	See Technical Data Sheet.
1.3. Details of the supplier of the safety data sheet	
Company Name	The Dodge Company, Inc
	9 Progress Road
	Billerica, MA 01821
Emergency	
CHEMTREC (USA)	(800) 424-9300
Customer Service: The Dodge Company, Inc	(800) 443-6343, (978) 600-2099

## 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Combustible Liquid;H227	Combustible Liquid.
Acute Tox. 4;H302	Harmful if swallowed.
Acute Tox. 4;H312	Harmful in contact with skin.
Acute Tox. 4;H332	Harmful if inhaled.
Skin Irrit. 2;H315	Causes skin irritation.
Eye Irrit. 2;H319	Causes serious eye irritation.
Skin Sens. 1;H317	May cause an allergic skin reaction.
Muta. 2;H341	Suspected of causing genetic defects.
Carc. 1B;H350	May cause cancer.
STOT SE 3;H335	May cause respiratory irritation.
2.2. Label elements	



H227 Combustible liquid.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

#### [Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P235 Keep cool.

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, eye protection, face protection.

#### [Response]:

P301+312 IF SWALLOWED: Call a POISON CENTER or doctor, physician if you feel unwell.

P302+352 IF on skin: Wash with plenty of soap and water.

P304+312+340 If inhaled: Call a poison center or doctor or physician if you feel unwell. Remove person to fresh air and keep comfortable for breathing.

P305+351+338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice or attention.

P321 Specific treatment (see information on this label).

P330 IF SWALLOWED: Rinse mouth.

P331 Do NOT induce vomiting.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.

P337+313 If eye irritation persists: Get medical advice or attention.

P362 Take off contaminated clothing and wash before reuse.

P363 Wash contaminated clothing before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

#### [Storage]:

P403+235 Store in a well ventilated place. Keep cool.



P405 Store locked up.

#### [Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Formaldehyde CAS Number: 0000050-00-0	10 - 25	Carc. 1B;H350 Muta. 2;H341 Acute Tox. 3;H301 Acute Tox. 3;H311 Acute Tox. 3;H311 Skin Corr. 1B;H314 ≥ 25 % Skin Irrit. 2;H315 5 % ≤ C < 25 % Skin Sens. 1;H317 >0.2 % STOT SE 3;H335 ≥ 5 %	[1][2]
Methanol CAS Number: 0000067-56-1	1 - 5	Flam. Liq. 2;H225 Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 3;H301 STOT SE 1;H370 (> 10%)	[1][2]
PEG-75 Lanolin CAS Number: 0008039-09-6	1 - 5	Not Classified	[1]
Lanolin, ethoxylated CAS Number: 0061790-81-6	1 - 5	Aquatic Chronic 4;H413	[1]
Propylene glycol CAS Number: 0004254-16-4	1 - 5	Not Classified	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

## Section 4. First aid measures

#### 4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.



Ingestion	If the person is conscious, have them drink water. Contact a physician immediately. Do not induce vomiting.
4.2. Most important syn	nptoms and effects, both acute and delayed
Overview	No specific symptom data available. Reproductive or genetic defect hazard. Treat symptomatically. See section 2 for further details.
Inhalation	Harmful if inhaled. May cause respiratory irritation.
Eyes	Causes serious eye irritation.
Skin	Harmful in contact with skin. May cause an allergic skin reaction. Causes skin irritation.
Ingestion	Harmful if swallowed.

## Section 5. Fire-fighting measures

#### 5.1. Extinguishing media

Dry chemical, foam, carbon dioxide and water fog.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: May form formaldehyde gas, carbon oxides, hydrogen, formic acid and various hydrocarbons. Incomplete combustion may also produce irritating smoke and toxic and/or irritating gases or fumes.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep cool.

Avoid breathing dust, fume, gas, mist, vapors, spray.

Do not get in eyes, on skin, or on clothing.

#### 5.3. Advice for fire-fighters

Wear self-contained breathing apparatus to protect from decomposition products.

ERG Guide No. 171

### Section 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Keep container closed when not in use. Avoid contact with eyes, skin, or clothing.

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Vapor is heavier than air and may flow along surface to distant ignition source and flashback.

Neutralize residual product in the spill area using sodium carbonate or sodium bicarbonate.

DO NOT USE COMBUSTIBLE MATERIALS.

## Section 7. Handling and storage

#### 7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Store in accordance with the National Fire Protection Association's publication NFPA 30, Flammable and Combustible Liquids Code. 29 CFR 1910.106 applies to the handling, storage, and use of flammable and combustible liquids.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry area, away from heat, sparks and open flame. Keep containers sealed when not in use. Store out of direct sunlight.

Incompatible materials: Avoid contact with strong oxidizers, strong alkalies, strong mineral acids, phenol and urea. See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

## Section 8. Exposure controls and personal protection

#### 8.1. Control parameters

Exposure					
CAS No.	Ingredient	Source	Value		
0000050-00-0	Formaldehyde	OSHA	TWA 0.75 ppm STEL 2 ppm		
		ACGIH	0.1 ppm TWA 0.3 ppm STEL		
		NIOSH	Ca TWA 0.016 ppm C 0.1 ppm [15-minute]		
0000067-56-1	Methanol	OSHA	TWA 200 ppm (260 mg/m3)		
		ACGIH	TWA: 200 ppm STEL: 250 ppm		
		NIOSH	TWA 200 ppm (260 mg/m3) ST 250 ppm (325 mg/m3) [skin]		
0004254-16-4	004254-16-4 Propylene glycol		No Established Limit		
	ACGIH	No Established Limit			
		NIOSH	No Established Limit		
0008039-09-6	PEG-75 Lanolin	OSHA	No Established Limit		
		ACGIH	No Established Limit		
		NIOSH	No Established Limit		
0061790-81-6	Lanolin, ethoxylated	OSHA	No Established Limit		
		ACGIH	No Established Limit		
		NIOSH	No Established Limit		

#### 8.2. Exposure controls

Respiratory

Not necessary where area is properly ventilated.



Safety Data Sheet Plasdo 25

Eyes	Wear safety glasses with side shields to protect the eyes. An eye wash station is suggested as a good workplace practice.
Skin	Overalls which cover the body, arms and legs should be worn. Skin should not be exposed. All parts of the body should be washed after contact. Wear PVC or rubber gloves to keep skin contact to a minimum. Refer to the manufacturer's recommendations regarding the suitability of any gloves used.
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

### Section 9. Physical and chemical properties

Appearance Odor Odor threshold pH Melting point / freezing point Initial boiling point and boiling range Flash Point Evaporation rate (Ether = 1) Flammability (solid, gas) Upper/lower flammability or explosive limits Vapor pressure (Pa) Vapor Density

Relative Density Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature Viscosity (cSt) VOC Content 9.2. Other information

No other relevant information.

Opaque orange-pink Liquid Slightly perfumed, with pungent odor. Not determined 8.5-9.5 N.A 83-85C 181-185F 62-64C 144-148F < 1 (n-Butyl acetate = 1) Not Applicable Lower Explosive Limit: 7% **Upper Explosive Limit:** 73% Not Measured Greater than 1 1.060-1.070 Not Measured Not Measured Not Measured Not Measured Not Measured 96%

## Section 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under the recommended storage and handling conditions prescribed. At higher temperatures, product may form formic acid and methanol.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid heat and open flame. Exposure to cold may cause precipitation of the polymer, will redissolve upon gentle heating.

#### 10.5. Incompatible materials

Avoid contact with strong oxidizers, strong alkalies, strong mineral acids, phenol and urea.

#### **10.6. Hazardous decomposition products**

May form formaldehyde gas, carbon oxides, hydrogen, formic acid and various hydrocarbons. Incomplete combustion may also produce irritating smoke and toxic and/or irritating gases or fumes.

## Section 11. Toxicological information

#### Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Formaldehyde - (50-00-0)	260.00, Guinea Pig - Category: 3	270.00, Rabbit - Category: 3			1,000.00, Rat - Category: 3
Methanol - (67-56-1)	2,769.00, Rat - Category: 5	17,100.00, Rabbit - Category: NA			64,000.00, Rat - Category: NA
PEG-75 Lanolin - (8039-09-6)					
Lanolin, ethoxylated - (61790-81-6)					
Propylene glycol - (4254-16-4)					

#### Carcinogen Data

CAS No.	Ingredient	Source	Value		
0000050-00-0	Formaldehyde	OSHA	Regulated Carcinogen: Yes		
		NTP	Known: Yes; Suspected: Yes		
		IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	A1		
0000067-56-1	Methanol	OSHA	Regulated Carcinogen: No		
		NTP	Known: No; Suspected: No		

## Safety Data Sheet Plasdo 25

		IARC	Group 1: No	y; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	No Established Limit			
0004254-16-4	Propylene glycol	OSHA	Regulated Carcinogen: No			
	NTP	Known: No; Suspected: No				
		IARC	Group 1: No	; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	No Establish	ned Limit		
0008039-09-6	PEG-75 Lanolin	OSHA	Regulated C	Carcinogen: No		
		NTP	Known: No;	Suspected: No		
		IARC		o; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	No Establish			
0061790-81-6	Lanolin, ethoxylated	OSHA	Regulated C	Carcinogen: No		
		NTP	Known: No;	Suspected: No		
		IARC	Group 1: No	; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	CGIH No Established Limit			
Classification		Ca	tegory	Hazard Description		
Acute toxicity (oral)			4	Harmful if swallowed.		
Acute toxicity	/ (dermal)		4	Harmful in contact with skin.		
Acute toxicity	y (inhalation)		4	Harmful if inhaled.		
Skin corrosic	on/irritation		2	Causes skin irritation.		
Serious eye	damage/irritation		2	Causes serious eye irritation.		
Respiratory s	sensitization			Not Applicable		
Skin sensitiz	ation		1	May cause an allergic skin reaction.		
Germ cell mu	utagenicity		2	Suspected of causing genetic defects.		
Carcinogenicity 1E		1B	May cause cancer.			
Reproductive toxicity -			Not Applicable			
STOT-single	exposure		3	May cause respiratory irritation.		
STOT-repea	ted exposure			Not Applicable		
Aspiration ha	azard			Not Applicable		

## Section 12. Ecological information

#### 12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

#### **Aquatic Ecotoxicity**

Ingradiant	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
Ingredient	mg/l	mg/l	mg/l

IMO / IMDG (Ocean ICAO/IATA

Not Applicable

Transportation)

Not Applicable

Formaldehyde - (50-00-0)	1.41, Oncorhynchus mykiss	5.80, Daphnia pulex	Not Available
Methanol - (67-56-1)	15,400.00, Lepomis macrochirus	18,260.00, Daphnia magna	22,000.00 (96 hr), Pseudokirchneriella subcapitata
PEG-75 Lanolin - (8039-09-6)	Not Available	Not Available	Not Available
Lanolin, ethoxylated - (61790-81-6)	Not Available	Not Available	Not Available
Propylene glycol - (4254-16-4)	Not Available	Not Available	Not Available

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

### Section 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

### Section 14. Transport information

#### DOT (Domestic Surface Transportation)

		manopontation)	
14.1. UN number	NA3082	Not Regulated	Not Regulated
14.2. UN proper shipping name	NA3082, Other regulated substances, liquid, n.o.s.,(Contains Formaldehyde), 9, III, Ltd. Qty.	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: 9	IMDG: Not Applicable Sub Class: Not Applicable	<b>Air Class</b> : Not Applicable

14.4. Packing group

14.5. Environmental hazards

IMDG Marine Pollutant: No;

14.6. Special precautions for user

Not Applicable

0	~	-
		-
	-	51

## Section 15. Regulatory information

Regulatory OverviewThe regulatory data in Section 15 is not intended to be all-inclusive, only selected<br/>regulations are represented.Toxic SubstanceAll components of this material are either listed or exempt from listing on the TSCA

Toxic Substance Control Act (TSCA) US EPA Tier II Hazards

Fire: Yes Sudden Release of Pressure: No Reactive: No Immediate (Acute): Yes Delayed (Chronic): Yes

#### **EPCRA 302 Extremely Hazardous:**

Formaldehyde

#### **EPCRA 313 Toxic Chemicals:**

Formaldehyde

Methanol

#### Proposition 65 - Carcinogens (>0.0%):

Formaldehyde

#### **Proposition 65 - Developmental Toxins (>0.0%):**

Inventory.

Methanol

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 Label Warning:



WARNING!: This product can expose you to chemicals including [Formaldehyde], which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### Section 16. Other information

#### SDS Revision Date 06/19/2019

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H301 Toxic if swallowed.

- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H370 Causes damage to organs.
- H371 May cause damage to organs.
- H413 May cause long lasting harmful effects to aquatic life.

This Safety data Sheet was prepared using information provided by/obtained from the Dodge Chemical Company Inc. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to the product. The Dodge Chemical Company, Inc. expressly disclaim all expressed or implied warranty and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other processes as to the accuracy of and/or sufficiency of such information. This Safety Data Sheet may not be changed or altered in any way without the expressed knowledge and permission of The Dodge Chemical Company, Inc.

End of Document